





# SG2500 & SG4000

REPLACEMENT PARTS LIST • LISTA DE PARTES DE REPUESTO • ERSATZTEILE-LISTE • LISTE DE PIÈCES DE RECHANGE

PART NO.	DESCRIPTION	DESCRIPCIÓN	BESCHREIBUNG	DÉSIGNATION
FA0226	NOSEPIECE ASSY	PIEZA DE LA BOCA	NASENSTÜCK	EMBOUT
VA0027	TRIGGER ASSY.	ASAMBLE DE GATILLO	AUSLÖSER	ENSEMBLE GÂCHETTE
VB0042	CORD			

*VA0050  
BRUSHES*



**English****Espanol****Français****Figure 1****Figura 1****Schéma 1****English Specifications**

	<u>SG2500</u>	<u>SG4000</u>
Bit shank size	1/4" hex	1/4" hex
Frequency	60 hz	60 hz
Voltage	120 V	120 V
Current	5.4 A	5.4 A
Input	600 W	600 W
No Load Speed	0-2500 /min	0-4000 /min
Length	12-1/4"	12-1/4"
Weight	4.3 lbs.	4.2 lbs.

**Espanol Especificaciones**

	<u>SG2500</u>	<u>SG4000</u>
Medida de espiga de punta	1/4" hexagonal	1/4" hexagonal
Hertzios	60 hz	60 hz
Voltios	120 V	120 V
Corriente	5.4 A	5.4 A
Entrada	600 W	600 W
Velocidad sin carga	0-2500 /min	0-4000 /min
Longitud	12-1/4"	12-1/4"
Peso	4.3 lbs.	4.2 lbs.

**Français Spécifications**

	<u>SG2500</u>	<u>SG4000</u>
Queue d'embout	1/4" 6 pans	1/4" 6 pans
Hertz	60 hz	60 hz
Volts	120 V	120 V
Courant	5.4 A	5.4 A
Puissance	600 W	600 W
Vitesse à vide	0-2500 /min	0-4000 /min
Longueur	31 cm	31 cm
Poids	1,96 kg	1,91 kg

# SG2500/SG4000 Screwdrivers



These rugged DuraSpin screwdrivers are the ideal tools for users who require power, speed and versatility. The SG2500 and SG4000 tools feature a high-torque, variable-speed reversing motor to tackle tough drywall and wood screw applications.

## Applications:

Drywall and wood screws.

## Features and Benefits:

- Powerful, high torque variable speed reversing motor delivers 20-30% more torque than competitive models
- Versatility—the SG2500/SG4000 can be used for drywall and wood applications
- Long lasting brushes - up to four times longer than competitive models
- The perfect mate to a Senco DuraSpin collated screw feed system
- Convenient belt hook
- Extra long 10' cord for greater mobility
- Comfortable grip reduces fatigue
- Trigger lock
- Reversing lever
- One-year warranty

## Tool Specifications:

	<b>SG2500</b>	<b>SG4000</b>
Item Code:	VA0013	VA0012
RPM:	0-2500	0-4000
Weight:	3.9 lbs	3.7 lbs
Height:	8"	8"
Length:	12.5"	12.5"
Width:	2.75"	2.75"
Torque Delivered:	175 in. lbs	95 in. lbs
Voltage:	120v	120v
Current:	5.4 amps	5.4 amps
Frequency:	60Hz	60Hz

